

INSTRUCTIONS

This record should be completed and maintained in accordance with FAA Federal Aviation Regulations:
 91.411 Altimeter system and altitude reporting equipment tests and inspections,
 91.413 ATC transponder tests and inspections,


and

43.9, 43.11 and 91.215, and/or other prevailing government regulations.



NOTE: Record required tests in the back of this record
 Record Service Letters and Airworthiness Directives in the back of this record as well as the
 Airframe Maintenance Record.

Copyright © 1996

MAINTENANCE RECORD

DATE	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
19			<p>CRS#: VYTR380B 06/06/01 WO# 1796 Cincinnati Avionics N3533G CESSNA Clermont County Airport T182T S/N: T1828026 Batavia, OH 45103</p> <p>Complied with service bulletin KLN 94-SW2. KLN 94 Application software is at SW Revision 0105 on 04 June 2001. Operational check of the system was performed with no discrepancies noted.</p> <div style="text-align: center;">  FOR CINCINNATI AVIONICS CRS# VYTR380B </div>	

MAINTENANCE RECORD

DATE	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
19			<p>CRS#: VYTR380B 09/12/01 WO# 1936</p> <p>Cincinnati Avionics N3533G CESSNA</p> <p>Clermont County Airport T182T S/N: T1828026</p> <p>Batavia, OH 45103</p> <p>Removed KX 155A S/N 19471 from aircraft. Complied with Bendix/King service bulletin KX 155A-9. Marked radio Mod 9. Reinstalled unit in aircraft. Operational check of the system was performed with no discrepancies noted.</p> <p align="center">  FOR CINCINNATI AVIONICS CRS# VYTR380B </p> <p>CRS#: VYTR380B 09/12/01 WO# 1935</p> <p>Cincinnati Avionics N3533G CESSNA</p> <p>Clermont County Airport T182T S/N: T1828026</p> <p>Batavia, OH 45103</p> <p>Removed KX 155A S/N 19475 from aircraft. Complied with Bendix/King service bulletin KX 155A-9. Marked radio Mod 9. Reinstalled unit in aircraft. Operational check of the system was performed with no discrepancies noted.</p> <p align="center">  FOR CINCINNATI AVIONICS CRS# VYTR380B </p>	

DATE	TOTAL T
	IN SERV
19	HOURS

MFG. Cessna
 MODEL 182
 SER. # T18208026
 T.L. _____



EAGLE'S WINGS
AVIATION CORPORATION
 CUYAHOGA COUNTY AIRPORT
 355 Richmond Rd
 Cleveland, OH 44143
FAA CRS EWOR225Y

DATE 31 Aug. 01
 W/O # AV-01-14016
 T.T. 0033.2
 REG. # N3533G

ED SIGNATURE,
 ICATE TYPE
 NUMBER


Removed CI-128A Comm#1 Antenna, S/N 1015964. Installed CI-128A, S/N 1071025. Operational check was satisfactory. Removed CI-128A Comm#2 Antenna, S/N 1050800. Installed CI-128A, S/N 1062216. Operational check was satisfactory.

The Aircraft or appliance identified above was repaired and inspected in accordance with current regulations of the Federal Aviation Agency and is approved for return to service. Pertinent details of the repair are on file at this repair station under Order Number AV-01-14016, dated 08/31/01. Total Time 0033.2

Signed  Date 31 Aug 01

d.b.a. BECKETT ENTERPRISES
 355 RICHMOND RD.
 CLEVELAND, OHIO 44143
 C.R.S. EWOR225Y

MAINTENANCE RECORD

DATE	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
19			<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> Cincinnati Avionics Clermont County Airport Batavia, OH 45103 VYTR380B LOG ID# 195 19-February-2003 WO# 2700/1 N3533G S/N T18208026 CESSNA T182T </div> <p style="text-align: right; margin-right: 20px;">Pg 1 / 1</p> <p>Installed JPI Instruments EDM 800 Engine Analyzer System. See FAA form 337 dated 19 February 2003. Operational check of the system was performed with no discrepancies noted.</p> <p>Useful Load: 1034.08 Empty weight: 2075.92 Arm: 36.69 Moment: 76174.63</p> <div style="text-align: center; margin-top: 10px;">  _____ VYTR380B For Cincinnati Avionics </div>	

MAINTENANCE RECORD

DATE	TOTAL TIME IN SERVICE		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER
	HOURS	10ths		
19				